

ORDER FORM/PRICE LIST

Revised August 2026

Ordered by/ Quoted to:

Name: _____

Address: _____

City, State ZIP: _____

Phone: _____

Email: _____

Payment information:

CC: _____

Exp.Date: _____ CVV: _____

Billing address: _____

Signature: _____

Date: ____/____/____

Term and Conditions :

KARI strollers are made in Germany and custom built ONLY! Delivery time 6-8 weeks (Subject to change.) Production starts after receipt of payment.

Returns are not accepted.

Ships with TForce or ABF Freight business or residential delivery, fully insured, packed on a pallet. For residential, the freight company will call to make a delivery appointment with consignee, signature is required. Do not accept the shipment if your package is damaged.

*SHIPPING: \$495.00 (US Only / AK, HI excluded)

*Shipping to Canada + Brokerage TBD

TOTAL: _____



KARI STROLLER INCLUDES:

- Padded material (seat & back)
- Adjustable footrest (height & angle)
- Adjustable center of gravity
- Adjustable suspension shock absorbers
- Adjustable push handles with hand brakes
- Adjustable seat angle up to 30 degree
- Powder coated aluminum frame
- 20" rear wheels with drum brakes (quick release)
- 12.5" front jogging wheel
- Canopy with top window
- Separate hand brakes
- 5-point harness

*16" rear wheel not available in the USA



Footrest, adjustable to lower leg length



Seat angle adjustment and suspension



Foldable



Attendant brake with parking function



Seat depth adjustment

ITEM #	DESCRIPTION	USD
☐ KK-30002	KARI Size S (Seat depth 10-13" Up to 4'5" tall and 110 lb.)	\$6,350.00
☐ KK-30003	KARI Size M (Seat depth 12-17" Up to 5'4" tall and 155 lb.)	\$6,650.00
☐ KK-30004	KARI Size L (Seat depth 13-19" Up to 6' tall and 200 lb.)	\$6,950.00

COLOR

Frame Color




☐ KK-13650
Grey-Metallic




☐ KK-13660
Black-Matt

Fabric Color




☐ KK-30021
Olive



☐ KK-30024
Ocean Blue



☐ KK-30026
Lime Green



☐ KK-30025
Strawberry Red




☐ KK-30023
Plum Purple



☐ KK-30022
Navy Blue

OPTIONS

ITEM #	DESCRIPTION	USD
☐ KK-15401	KARI Height Adjustable Anti-tipper, left	\$225.00
☐ KK-15402	KARI Height Adjustable Anti-tipper, right	\$225.00
☐ KK-12810	KARI Surcharge for Reinforce Seat Angle Adjustment / Suspension (recommended for user weight of 121lbs+)	\$435.00
☐ KK-12850	KARI Adjustable Backrest Recline Quick Release Lever	\$795.00



The back angle is easily adjustable and can be adjusted in the range of 110° - 160° (depending on the seat angle). In combination with the seat tilt, a comfortable position can be created.

- **Requires Anti-tipper on both sides (KK-15401+KK15402)**

Leg Support



The leg support, which can be removed without tools, can be combined with seat and backrest adjustment to bring the user into an almost reclined position. It is also height adjustable, removable and can be individually adapted (knee angle adjustment).



☐ KK-33010	Leg support IN EXCHANGE for the standard footrest	\$725.00
☐ KK-33015	Leg support IN ADDITION to the standard footrest	\$995.00

OPTIONS

ITEM #	DESCRIPTION	USD
	☐ KK-10521 Lower leg positioning cushion Size XS/S	\$170.00
	☐ KK-10522 Lower leg positioning cushion Size M/L	\$190.00
	☐ KK-33020 Foot support, adjustable with velcro	\$265.00

REAR & FRONT WHEELS

☐ KK-12920	KARI 20" Rear Wheel (pneumatic)	N/C
☐ JJ-ALLTERRAIN	KARI All Terrain 20" Wheel set complete with 4" tires*	\$625.00
☐ JJ-SPOKECOVER	KARI Spoke Cover for 20" wheels	\$175.00

 	☐ KK-14100 12.5" Jogging Wheel	N/C
	☐ KK-14101 8" Swivel Wheel IN EXCHANGE for Jogging Wheel	\$225.00
	☐ KK-14102 8" Swivel Wheel IN ADDITION to Jogging Wheel	\$595.00
 	☐ KK-14200 12.5" Pro Front Wheel (adjustable from fixed to swivel) IN EXCHANGE for standard jogging wheel)	\$755.00
	☐ KK-14201 12.5" Pro Front Wheel (adjustable from fixed to swivel) (IN ADDITION to standard jogging wheel)	\$895.00

NOTE: The 12.5" Pro Front Wheel combines the advantages of the swivel wheel and the fixed front wheel in one. The 12.5" swivel wheel can be locked. This means that uneven pavements or unpaved roads are no problem. As a further advantage, the directional stability can be finely adjusted.



☐ KK-14110	8" Swivel wheel with locking function IN EXCHANGE for the rigid wheel	\$345.00
☐ KK-14210	8" Swivel wheel with locking function IN ADDITION to the rigid wheel	\$735.00

SEATING & POSITIONING



☐ KK-10101 \$305.00
KARI Contoured Headrest



☐ KK-10102 \$275.00
KARI V shape Headrest



☐ KK-10103-0SZSZ \$525.00
Advanced Headrest
(incl.head strap, 1" and 2"
Spacer / Black)

☐ KK-22041-0SZSZ \$295.00
Advanced Headrest Pad only



☐ KK-10315 \$360.00
Abduction wedge Plus
Firmly screwed version. This
model offers stability and secure
fixation. The wedge is adjustable
in depth and can be removed
without tools if required.



☐ KK-10305 \$90.00
KARI Abduction Wedge




☐ KK-10301 \$175.00
KARI Comfort Cushion
anatomically shaped with
memory foam (in exchange for
the standard seat cushion)

☐ KK-10320 **Seat width adjustment** \$210.00



The side guides allow the seat width to be reduced by 5"-7". The wedges can be attached in two different positions using Velcro. These are foamed cushions with interchangeable covers.

Adjustable Lateral Supports and Back Pad Options



The pad system can be adjusted in both width and mounting position and can be used for a wide variety of positions. The flexible back system adapts to the body.

A back cushion is required when using the pads. For more flexibility and support, the pad system, pro is recommended - see extended range of functions

☐ KK-10211	KARI Back Cushion Size 1	Chest Width 6-10"	\$135.00
☐ KK-10212	KARI Back Cushion Size 2	Chest Width 8.5-12.5"	\$155.00
☐ KK-10213	KARI Back Cushion Size 3	Chest Width 12-16"	\$175.00
☐ KK-10201	KARI Thoracic Lateral Pad Size 1	(4x5)	\$395.00
☐ KK-10202	KARI Thoracic Lateral Pad Size 2	(5x7)	\$405.00

SEATING & POSITIONING

Harnesses




☐ KK-10790 **KARI Five-Point Belt, adjustable**

N/C

The five-point harness is adjustable in height and length. In addition, the five-point harness has pads which are held in position by Velcro. The adjustable strap length adapts to the size of KARI

KARI 2-Point Pelvic Belt, with magnetic lock (select size below)

\$275.00



SIZE	A	B	C	D	Diagram
1	47"	1"	6"	1.75"	
2	55"	1.5"	7"	2"	
3	61"	1.5"	9"	2.75"	

Select Size

☐ KK-10771 Size 1

☐ KK-10755 Size 2

☐ KK-10773 Size 3



KARI Chest Shoulder Belt (select size below)

\$375.00

SIZE	A	B	C	D	E	F	Diagram
1	4"	7"	12"	5.5"	4.75"	2"	
2	5"	8"	13"	6"	5.5"	2.75"	
3	7.5"	8.5"	16"	8"	7"	3"	
4	8.25"	15"	21"	11"	9.5"	3.5"	
5	9.5"	17"	26"	11"	12.5"	4"	

☐ KK-10701 Size 1

☐ KK-10702 Size 2

ACCESSORIES



☐ KK-12500

\$225.00

Extended Canopy

The sun canopy offers protection against both sun and rain. Due to the stable aluminium construction, it additionally protects the side area of the head. There are two zips at the front to attach the sun canopy extension, rain cover or mosquito net (two options can be used at the same time).



☐ KK-JP-15200

\$595.00

Bike Trailer attachment rod (without coupling)*

ACCESSORIES



- ☐ KK-50000D00225-00000 **Weber coupling E** \$195.00

The coupling serves as a secure connection between your bike and the bike drawbar of Sami. The permissible total load of the coupling is 176lbs.



- ☐ KK-15500 **Safety kit for bicycle trailer** \$255.00

Safety kit: reflectors, rear light (LED) and safety flag.




- ☐ KK-35100 **Removable Bag** \$355.00

The bag will be delivered in the selected fabric color and is attached to the rear of the Kari. It can be easily removed and used as a carrier bag.



- ☐ KK-15101 **Open Basket** \$315.00

Practical storage place under the seat. The open lower basket offers space for a changing bag, shopping or clothes- all within easy reach. The robust, easy care material withstands everyday use and the open design ensures access on to go.



- ☐ KK-15110 **Vent Tray** \$795.00

The platform can support loads of up to 15 kg and is equipped with mounting points. A floor pad and fastening material for webbing up to 40 mm are included in the



- ☐ KK-15300 **KARI Rain Cover** \$285.00

- ☐ KK-15600 **KARI Mosquito Net** \$275.00



- ☐ KK-15650 **Leg cover lined with fleece- Color black** S / M \$465.00

The Leg cover is specially made for the Kari and is attached to the stroller with Velcro. Water repellent nylon fabric on the outside and cozy fleece on the inside keep the user warm in colder temperatures. The leg cover is made in Germany and has two full-length side zippers to make it easier to get in and out.

L \$495.00

ACCESSORIES



*refers to the padding

Foot strap with Velcro fastening, padded

\$275.00

The foot straps are attached to the slots on the back of the footrest. The soft neoprene pads are (dimensions as detailed in the product description) lined with breathable 'Comfort' spacer fabric.

- ☐ KK-10791 **Size 1** Width x length* 2"x5"
- ☐ KK-10792 **Size 2** Width x length* 2"x6"
- ☐ KK-10793 **Size 3** Width x length* 2"x7"

Foot fixation anatomical, padded with Lacth lock

\$525.00

The foot fixation is used for stable positioning of the feet and therefore offers additional safety in everyday life. It is supplied ready for installation - including screws, nuts and brackets for easy attachment to the footrest.

- ☐ KK-10761 **Size 1** Ankle circumference 5.5"x6.5"
- ☐ KK-10762 **Size 2** Ankle circumference 6.5"x7.8"
- ☐ KK-10763 **Size 3** Ankle circumference 7.5"x9"
- ☐ KK-10764 **Size 4** Ankle circumference 8.5"x10.5"
- ☐ KK-10765 **Size 5** Ankle circumference 10"x12.5"



STLR-SKIS Ski Set (3 skis for front and back wheels)

\$260.00

TECHINAL DATA



JOSI-pro Article number	Size S JP-30002	Size M JP-30003	Size L JP-30004
Body size	approx. 3'44"-4'75"	approx. 4'1"-5'4"	approx. 4'9"-6'
Height: H	50"	53"	54"
Length: L	see next table	see next table	see next table
Track width: B	25"	26.5"	28.5"
Inner width/seat width: I	14"	16.5"	18"
Seat height: M (incl. cushion)	22.5"	22.5"	23"
Seat depth	10"-15.5"	12"-17.5"	13.5"-20"
Lower leg length	up to 14"	up to 16.5"	up to 18.5"
Total back height	31.5"	35.5"	37.4"
Packing dimensions: WTH	21.5"x40"x23"	23.5"x41"x24.5"	25.5"x43"x26"
Payload / user weight	max. 110lbs	max. 154lbs	max. 200lbs
Additional payload bag	max. 11lbs	max. 110lbs	max. 110lbs
Additional payload platform med. devices	max. 33lbs	max. 110lbs	max. 110lbs
Weight (frame with covering)	36lbs	39.5lbs	44lbs
Rear wheels, pneum. tyres	16" / 20"	16" / 20"	16" / 20"
Air pressure rear wheels	2.0 bar (16" & 20")	2.0 bar (16" & 20")	2.0 bar (16" & 20")
Front wheels, pneum. tyres	see next table	see next table	see next table
Wheel camber	0°	0°	0°
Seat angle	approx. 10° - 30°	approx. 10° - 30°	approx. 10° - 30°
Back angle (optional)	approx. 110° - 160°	approx. 110° - 160°	approx. 110° - 160°

	Size S	Size M	Size L	
12.5" rigid front wheel:				
Length in basic position, depending on adjustment push handle: L1 - L2	52"-60.5"	55"-64.5"	58"-71.5"	
Air pressure	1.8 bar	1.8 bar	1.8 bar	
8" swivel wheel:				
Length in basic position, depending on adjustment push handle: L1 - L2	45.5"-54"	49"-60"	52"-65.5"	
Air pressure	2.5 bar	2.5 bar	2.5 bar	
8" swivel wheel duo:				
Length in basic position, depending on adjustment push handle: L1 - L2	42"-50"	45"-56"	48"-62"	
Air pressure	2.5 bar	2.5 bar	2.5 bar	
12.5" Front Wheel Pro:				
Length in basic position, depending on adjustment push handle: L1 - L2	53"-62"	56"-67"	63"-77.5"	
Air pressure	1.8 bar	1.8 bar	1.8 bar	